

Zum Tragekomfort von Kontaktlinsen: der aktuelle Stand der Forschung

Literatur

- [1] Dumbleton, K., Woods, C. A., Jones, L. W. et al.: The impact of contemporary contact lenses on contact lens discontinuation. *Eye Contact Lens* 2013; 39:1, 93-9.
- [2] Richdale, K., Sinnott, L. T., Skadahl, E. et al.: Frequency of and factors associated with contact lens dissatisfaction and discontinuation. *Cornea* 2007; 26: 168-74.
- [3] Fonn, D.: Targeting contact lens induced dryness and discomfort: what properties will make lenses more comfortable. *Optom Vis Sci* 2007; 84(4): 279-85.
- [4] Chalmers, R. L., Begley, C. G.: Dryness symptoms among an unselected clinical population with and without contact lens wear. *Cont Lens Anterior Eye* 2006; 29:1, 25-30.
- [5] The TFOS International Workshop on Contact Lens Discomfort. *Invest Ophthalmol Vis Sci* 2013; 54: TFOS1-TFOS203.
- [6] Dumbleton, K., Keir, N., Moezzi, A. et al.: Objective and subjective responses in patients refitted to daily-wear SiHy hydrogel contact lenses. *Optom Vis Sci* 2006; 83:10, 758-68.
- [7] Riley, C., Young, G., Chalmers, R.: Prevalence of ocular surface symptoms, signs, and uncomfortable hours of wear in contact lens wearers: the effect of refitting with daily-wear silicone hydrogel lenses (senofilcon a). *Eye Contact Lens* 2006; 32:6, 281-6.
- [8] Dumbleton, K. A., Woods, C. A., Jones, L. W. et al.: Comfort and adaptation to silicone hydrogel lenses for daily wear. *Eye Contact Lens* 2008; 34:4, 215-23.
- [9] Chalmers, R., Long, B., Dillehay, S. et al.: Improving contact-lens related dryness symptoms with silicone hydrogel lenses. *Optom Vis Sci* 2008; 85:8, 778-84.
- [10] Chalmers, R., Begley, C. G., Moody, K. et al.: Contact Lens Dry Eye Questionnaire-8 and overall opinion of contact lenses. *Optom Vis Sci* 2012; 89:10, 1435-42.
- [11] Papas, E. B., Keay, L., Golebiowski, B.: Estimating a just-noticeable difference for ocular comfort in contact lens wearers. *Invest Ophthalmol Vis Sci* 2011; 52:7, 4390-4.
- [12] Young, G., Chalmers, R. L., Napier, L. et al.: Characterizing contact lens-related dryness symptoms in a cross-section of UK soft lens wearers. *Cont Lens Anterior Eye* 2011; 34:2, 64-70.
- [13] Michel, M., Sickenberger, W., Pult, H.: The effectiveness of questionnaires in the determination of Contact Lens Induced Dry Eye. *Ophthalmic Physiol Opt* 2009; 29:5, 479-86.
- [14] Korb, D. R., Greiner, J. V., Herman, J. P. et al.: Lid-wiper epitheliopathy and dry-eye symptoms in contact lens wearers. *CLAO J* 2002; 28:4, 211-6.
- [15] Pult, H., Purslow, C., Berry, M. et al.: Clinical tests for successful contact lens wear: relationship and predictive potential. *Optom Vis Sci* 2008; 85:10, E924-9.
- [16] Berry, M., Pult, H., Purslow, C. et al.: Mucins and ocular signs in symptomatic and asymptomatic contact lens wear. *Optom Vis Sci* 2008; 85:10, 930-8.
- [17] Berry, M., Purslow, C., Murphy, P. J. et al.: Contact lens materials, mucin fragmentation and relation to symptoms. *Cornea* 2012; 31:7, 770-6.
- [18] Pult, H., Murphy, P. J., Purslow, C.: A novel method to predict the dry eye symptoms in new contact lens wearers. *Optom Vis Sci* 2009; 86:9, 1042-50.
- [19] Yeniad, B., Beginoglu, M., Bilgin, L. K.: Lid-wiper epitheliopathy in contact lens users and patients with dry eye. *Eye Contact Lens* 2010; 36:3, 140-3.
- [20] Winterton, L. C., Lally, J. M., Sentell, K. B. et al.: The elution of Poly(vinylalcohol) from a contact lens: The realization of a time release moisturizing agent/artificial tear. *J Biomed Mat Res Part B: Applied Biomaterials* 2007; 80:2, 424-32.
- [21] White, C. J., McBride, M. K., Pate, K. M. et al.: Extended release of high molecular weight hydroxypropyl methylcellulose from molecularly imprinted, extended wear silicone hydrogel contact lenses. *Biomaterials* 2011; 32:24, 5698-705.
- [22] Ali, M., Byrne, M. E.: Controlled release of high molecular weight hyaluronic acid from molecularly imprinted hydrogel contact lenses. *Pharm Res* 2009; 26:3, 714-26.
- [23] Roba, M., Duncan, E. G., Hill, G. A. et al.: Friction measurements on contact lenses in their operating environment. *Tribology Letters* 2011; 4:3, 387-97.
- [24] Sheardown, H., Liu, L., Jones, L.: Chemical characterization of 1•DAY ACUVUE® MOIST® and 1•DAY ACUVUE® contact lenses. *Invest Ophthalmol Vis Sci* 2006; 47: E-Abstract 2388.
- [25] Weeks, A., Morrison, D., Alauzun, J. G. et al.: Photocrosslinkable hyaluronic acid as an internal wetting agent in model conventional and silicone hydrogel contact lenses. *J Biomed Mater Res A* 2012; 100:8, 1972-82.
- [26] Lemp, M. A., Nichols, K. K.: Blepharitis in the United States 2009: a survey-based perspective on prevalence and treatment. *Ocu Surf* 2009; 7 Suppl 2, S1-4.
- [27] Nelson, J. D., Shimazaki, J., Benitez-del-Castillo, J. M. et al.: The International Workshop on Meibomian Gland Dysfunction: Report of the Definition and Classification Subcommittee. *Invest Ophthalmol Vis Sci Special Issue* 2011; 52:4 1930-7.
- [28] Villani, E., Ceresara, G., Beretta, S. et al.: In-vivo confocal microscopy of meibomian glands in contact lens wearers. *Invest Ophthalmol Vis Sci* 2011; 52:8, 5215-9.
- [29] Arita, R., Itoh, K., Inoue, K. et al.: Contact lens wear is associated with decrease of meibomian glands. *Ophthalmology* 2009; 116:379-84.
- [30] Pult, H., Nichols, J. J.: A review of meibography. *Optom Vis Sci* 2012; 89:5, 760-9.
- [31] Wolffsohn, J. S., Emberlin, J. C.: Role of contact lenses in relieving ocular allergy. *Cont Lens Anterior Eye* 2011; 34:4, 169-72.
- [32] Hayes, V. Y., Schnider, C. M., Veys, J.: An evaluation of 1-day disposable contact lens wear in a population of allergy sufferers. *Cont Lens Anterior Eye* 2003; 26:2, 85-93.
- [33] Maïssa, C., Guillon, M., Garofalo, R. J.: Contact lens-induced circumlimbal staining in silicone hydrogel contact lenses worn on a daily wear basis. *Eye Contact Lens* 2012; 38:1, 16-26.
- [34] Schafer, J., Mitchell, G. L., Chalmers, R. L. et al.: The stability of dryness symptoms after refitting with silicone hydrogel contact lenses over 3 years. *Eye Contact Lens* 2007; 33:5, 247-52.

- [35] Dumbleton, K., Woods, C., Jones, L. et al.: Comfort and vision with silicone hydrogel lenses: effect of compliance. *Optom Vis Sci* 2010; 87:6, 421-5.
- [36] Spyridon, M., Hickson-Curran, S., Hunt, C. et al.: Eye sensitivity in soft contact lens wearers. *Optom Vis Sci* 2012; 89:12, 1682-90.
- [37] Subbaraman, L. N., Glasier, M. A., Varikooty, J. et al.: Protein deposition and clinical symptoms in daily wear of etafilcon lenses. *Optom Vis Sci* 2012; 89:10, 1450-9.
- [38] Scott, W. L., Rein, M. J., Pack, L. D.: Subjective comparison of 2 daily disposable contact lenses: Focus Dailies with AquaRelease and Proclear 1-Day. *Optometry* 2010; 81:1, 40-6.
- [39] Walker, J., Young, G., Hunt, C. et al.: Multi-centre evaluation of two daily disposable contact lenses. *Cont Lens Ant Eye* 2007; 30:2, 125-33.
- [40] Fahmy, M., Long, B., Giles, T. et al.: Comfort-enhanced daily disposable contact lens reduces symptoms among weekly/monthly wear patients. *Eye Contact Lens* 2010; 36:4, 215-9.
- [41] Morgan, P. B., Chamberlain, P., Moody, K. et al.: Ocular physiology and comfort in neophyte subjects fitted in daily disposable silicone hydrogel contact lenses. *Cont Lens Ant Eye* 2013; 36:3, 118-25.
- [42] Menzies, K. L., Rogers, R., Jones, L.: In vitro contact angle analysis and physical properties of blister pack solutions of daily disposable contact lenses. *Eye Contact Lens* 2010; 36:1, 10-8.
- [43] Tighe, B. J.: A decade of silicone hydrogel development: surface properties, mechanical properties, and ocular compatibility. *Eye Contact Lens* 2013; 39:1, 4-12.
- [44] Young, G., Riley, C. M., Chalmers, R. L. et al.: Hydrogel lens comfort in challenging environments and the effect of refitting with SiHy hydrogel lenses. *Optom Vis Sci* 2007; 84:4, 302-8.
- [45] Kojima, T., Ibrahim, O. M., Wakamatsu, T. et al.: The impact of contact lens wear and visual display terminal work on ocular surface and tear functions in office workers. *Am J Ophthalmol* 2011; 152:6, 933-40.
- [46] Gonzales-Mejjome, J. M., Parafita, M. A., Yebra-Pimental, E. et al.: Symptoms in a population of contact lens and noncontact lens wearers under different environmental conditions. *Optom Vis Sci* 2007; 84:4, 296-301.
- [47] Ousler, G. W. 3rd, Anderson, R. T., Osborn, K. E.: The effect of senofilcon A contact lenses compared to habitual contact lenses on ocular discomfort during exposure to a controlled adverse environment. *Curr Med Res Opin* 2008; 24:2, 335-41.