

# Starke Myopie: Quote und Auswirkungen

Deborah Jones, Dörte Lünsmann

## Literatur

- [1] Robaei D, Huynh SC, Kifley A, Mitchell P. Correctable and non-correctable visual impairment in a population-based sample of 12-year-old Australian children. *Am J Ophthalmol.* 2006;142(1):112-118.
- [2] Lu Q, Zheng Y, Sun B, et al. A population-based study of visual impairment among pre-school children in Beijing: the Beijing study of visual impairment in children. *Am J Ophthalmol.* 2009;147(6):1075-1081.
- [3] Vitale S, Ellwein L, Cotch MF, Ferris FL, 3rd, Sperduto R. Prevalence of refractive error in the United States, 1999-2004. *Arch Ophthalmol.* 2008;126(8):1111-1119.
- [4] Resnikoff S, Pascolini D, Mariotti SP, Pokharel GP. Global magnitude of visual impairment caused by uncorrected refractive errors in 2004. *Bull World Health Organ.* 2008;86(1):63-70.
- [5] Vitale S, Sperduto RD, Ferris FL, 3rd. Increased prevalence of myopia in the United States between 1971-1972 and 1999-2004. *Arch Ophthalmol.* 2009;127(12):1632-1639.
- [6] Kempen JH, Mitchell P, Lee KE, et al. The prevalence of refractive errors among adults in the United States, Western Europe, and Australia. *Arch Ophthalmol.* 2004;122(4):495-505.
- [7] Lin LL, Shih YF, Hsiao CK, Chen CJ. Prevalence of myopia in Taiwanese schoolchildren: 1983 to 2000. *Ann Acad Med Singapore.* 2004;33(1):27-33.
- [8] Wang TJ, Chiang TH, Wang TH, Lin LL, Shih YF. Changes of the ocular refraction among freshmen in National Taiwan University between 1988 and 2005. *Eye (Lond).* 2009;23(5):1168-1169.
- [9] He M, Zeng J, Liu Y, Xu J, Pokharel GP, Ellwein LB. Refractive error and visual impairment in urban children in southern China. *Invest Ophthalmol Vis Sci.* 2004;45(3):793-799.
- [10] Saw SM, Gazzard G, Koh D, et al. Prevalence rates of refractive errors in Sumatra, Indonesia. *Invest Ophthalmol Vis Sci.* 2002;43(10):3174-3180.
- [11] Matsumura H, Hirai H. Prevalence of myopia and refractive changes in students from 3 to 17 years of age. *Surv Ophthalmol.* 1999;44 Suppl 1:S109-115.
- [12] Murthy GV, Gupta SK, Ellwein LB, et al. Refractive error in children in an urban population in New Delhi. *Invest Ophthalmol Vis Sci.* 2002;43(3):623-631.
- [13] Dandona R, Dandona L, Naduvilath TJ, Srinivas M, McCarty CA, Rao GN. Refractive errors in an urban population in Southern India: the Andhra Pradesh Eye Disease Study. *Invest Ophthalmol Vis Sci.* 1999;40(12):2810-2818.
- [14] Shah SP, Jadoon MZ, Dineen B, et al. Refractive errors in the adult Pakistani population: the national blindness and visual impairment survey. *Ophthalmic Epidemiol.* 2008;15(3):183-190.
- [15] Katz J, Tielsch JM, Sommer A. Prevalence and risk factors for refractive errors in an adult inner city population. *Invest Ophthalmol Vis Sci.* 1997;38(2):334-340.
- [16] Vannas AE, Ying GS, Stone RA, Maguire MG, Jormanainen V, Tervo T. Myopia and natural lighting extremes: risk factors in Finnish army conscripts. *Acta Ophthalmol Scand.* 2003;81(6):588-595.
- [17] Czepita D, Zejmo M, Mojsa A. Prevalence of myopia and hyperopia in a population of Polish schoolchildren. *Ophthalmic Physiol Opt.* 2007;27(1):60-65.
- [18] Rudnicka AR, Owen CG, Nightingale CM, Cook DG, Whincup PH. Ethnic differences in the prevalence of myopia and ocular biometry in 10- and 11-year-old children: the Child Heart and Health Study in England (CHASE). *Invest Ophthalmol Vis Sci.* 2010;51(12):6270-6276.
- [19] Jobke S, Kasten E, Vorwerk C. The prevalence rates of refractive errors among children, adolescents, and adults in Germany. *Clin Ophthalmol.* 2008;2(3):601-607.
- [20] Montes-Mico R, Ferrer-Blasco T. Distribution of refractive errors in Spain. *Doc Ophthalmol.* 2000;101(1):25-33.
- [21] Villarreal MG, Ohlsson J, Abrahamsson M, Sjostrom A, Sjostrand J. Myopisation: the refractive tendency in teenagers. Prevalence of myopia among young teenagers in Sweden. *Acta Ophthalmol Scand.* 2000;78(2):177-181.
- [22] Fledelius HC. Myopia profile in Copenhagen medical students 1996-98. Refractive stability over a century is suggested. *Acta Ophthalmol Scand.* 2000;78(5):501-505.
- [23] Anera RG, Soler M, de la Cruz Cardona J, Salas C, Ortiz C. Prevalence of refractive errors in school-age children in Morocco. *Clin Experiment Ophthalmol.* 2009;37(2):191-196.
- [24] Naidoo KS, Raghunandan A, Mashige KP, et al. Refractive error and visual impairment in African children in South Africa. *Invest Ophthalmol Vis Sci.* 2003;44(9):3764-3770.
- [25] Ezelum C, Razavi H, Sivasubramaniam S, et al. Refractive errors in Nigerian adults: prevalence, types and spectacle coverage. *Invest Ophthalmol Vis Sci.* 2011.
- [26] Landers J, Henderson T, Craig J. Prevalence and associations of refractive error in indigenous Australians within central Australia: the Central Australian Ocular Health Study. *Clin Experiment Ophthalmol.* 2010;38(4):381-386.
- [27] Saw SM, Chua WH, Hong CY, et al. Nearwork in early-onset myopia. *Invest Ophthalmol Vis Sci.* 2002;43(2):332-339.
- [28] Jones LA, Sinnott LT, Mutti DO, Mitchell GL, Moeschberger ML, Zadnik K. Parental history of myopia, sports and outdoor activities, and future myopia. *Invest Ophthalmol Vis Sci.* 2007;48(8):3524-3532.
- [29] Rose KA, Morgan IG, Ip J, et al. Outdoor activity reduces the prevalence of myopia in children. *Ophthalmology.* 2008;115(8):1279-1285.
- [30] Chen TC, Tsai TH, Shih YF, et al. Long-term evaluation of refractive status and optical components in eyes of children born prematurely. *Invest Ophthalmol Vis Sci.* 2010;51(12):6140-6148.
- [31] Au Eong KG, Tay TH, Lim MK. Education and myopia in 110,236 young Singaporean males. *Singapore Med J.* 1993;34(6):489-492.
- [32] Uzma N, Kumar BS, Khaja Mohinuddin Salar BM, Zafar MA, Reddy VD. A comparative clinical survey of the prevalence of refractive errors and eye diseases in urban and rural school children. *Can J Ophthalmol.* 2009;44(3):328-333.
- [33] Akhanda AH, Quayum MA, Siddiqui NI, Hossain MM. Refractive status of medical students of Mymensingh medical college. *Mymensingh Med J.* 2010;19(4):493-496.

- [34] Cheng D, Schmid KL, Woo GC. Myopia prevalence in Chinese-Canadian children in an optometric practice. *Optom Vis Sci.* 2007;84(1):21-32.
- [35] Ip JM, Huynh SC, Robaei D, et al. Ethnic differences in refraction and ocular biometry in a population-based sample of 11-15-year-old Australian children. *Eye (Lond).* 2008;22(5):649-656.
- [36] Saw SM, Goh PP, Cheng A, Shankar A, Tan DT, Ellwein LB. Ethnicity-specific prevalences of refractive errors vary in Asian children in neighbouring Malaysia and Singapore. *Br J Ophthalmol.* 2006;90(10):1230-1235.
- [37] Group M-EPEDS. Prevalence of myopia and hyperopia in 6- to 72-month-old African American and Hispanic children: the multi-ethnic pediatric eye disease study. *Ophthalmology.* 2010;117(1):140-147 e143.
- [38] Dirani M, Chan YH, Gazzard G, et al. Prevalence of refractive error in Singaporean Chinese children: the strabismus, amblyopia, and refractive error in young Singaporean Children (STARS) study. *Invest Ophthalmol Vis Sci.* 2010;51(3):1348-1355.
- [39] Giordano L, Friedman DS, Repka MX, et al. Prevalence of refractive error among preschool children in an urban population: the Baltimore Pediatric Eye Disease Study. *Ophthalmology.* 2009;116(4):739-746, 746 e731-734.
- [40] Ojaimi E, Rose KA, Morgan IG, et al. Distribution of ocular biometric parameters and refraction in a population-based study of Australian children. *Invest Ophthalmol Vis Sci.* 2005;46(8):2748-2754.
- [41] Bar Dayan Y, Levin A, Morad Y, et al. The changing prevalence of myopia in young adults: a 13-year series of population-based prevalence surveys. *Invest Ophthalmol Vis Sci.* 2005;46(8):2760-2765.
- [42] Saw SM, Tong L, Chua WH, et al. Incidence and progression of myopia in Singaporean school children. *Invest Ophthalmol Vis Sci.* 2005;46(1):51-57.
- [43] Wong TY, Foster PJ, Hee J, et al. Prevalence and risk factors for refractive errors in adult Chinese in Singapore. *Invest Ophthalmol Vis Sci.* 2000;41(9):2486-2494.
- [44] He M, Huang W, Li Y, Zheng Y, Yin Q, Foster PJ. Refractive error and biometry in older Chinese adults: the Liwan eye study. *Invest Ophthalmol Vis Sci.* 2009;50(11):5130-5136.
- [45] Liang YB, Wong TY, Sun LP, et al. Refractive errors in a rural Chinese adult population the Handan eye study. *Ophthalmology.* 2009;116(11):2119-2127.
- [46] Fan DS, Lam DS, Lam RF, et al. Prevalence, incidence, and progression of myopia of school children in Hong Kong. *Invest Ophthalmol Vis Sci.* 2004;45(4):1071-1075.
- [47] Marr JE, Halliwell-Ewen J, Fisher B, Soler L, Ainsworth JR. Associations of high myopia in childhood. *Eye (Lond).* 2001;15(Pt 1):70-74.
- [48] Kobayashi K, Ohno-Matsui K, Kojima A, et al. Fundus characteristics of high myopia in children. *Jpn J Ophthalmol.* 2005;49(4):306-311.
- [49] Liu HH, Xu L, Wang YX, Wang S, You QS, Jonas JB. Prevalence and progression of myopic retinopathy in Chinese adults: the Beijing Eye Study. *Ophthalmology.* 2010;117(9):1763-1768.
- [50] Xu L, Li Y, Wang S, Wang Y, Jonas JB. Characteristics of highly myopic eyes: the Beijing Eye Study. *Ophthalmology.* 2007;114(1):121-126.
- [51] Iwase A, Araie M, Tomidokoro A, Yamamoto T, Shimizu H, Kitazawa Y. Prevalence and causes of low vision and blindness in a Japanese adult population: the Tajimi Study. *Ophthalmology.* 2006;113(8):1354-1362.
- [52] Yamada M, Hiratsuka Y, Roberts CB, et al. Prevalence of visual impairment in the adult Japanese population by cause and severity and future projections. *Ophthalmic Epidemiol.* 2010;17(1):50-57.
- [53] Cedrone C, Culasso F, Cesareo M, et al. Incidence of blindness and low vision in a sample population: the Priverno Eye Study, Italy. *Ophthalmology.* 2003;110(3):584-588.
- [54] Buch H, Vinding T, La Cour M, Appleyard M, Jensen GB, Nielsen NV. Prevalence and causes of visual impairment and blindness among 9980 Scandinavian adults: the Copenhagen City Eye Study. *Ophthalmology.* 2004;111(1):53-61.
- [55] Vongphanit J, Mitchell P, Wang JJ. Prevalence and progression of myopic retinopathy in an older population. *Ophthalmology.* 2002;109(4):704-711.
- [56] Shih YF, Ho TC, Hsiao CK, Lin LL. Visual outcomes for high myopic patients with or without myopic maculopathy: a 10 year follow up study. *Br J Ophthalmol.* 2006;90(5):546-550.
- [57] Hayashi K, Ohno-Matsui K, Shimada N, et al. Long-term pattern of progression of myopic maculopathy: a natural history study. *Ophthalmology.* 2010;117(8):1595-1611, 1611 e1591-1594.
- [58] Yoshida T, Ohno-Matsui K, Yasuzumi K, et al. Myopic choroidal neovascularization: a 10-year follow-up. *Ophthalmology.* 2003;110(7):1297-1305.
- [59] Lai TY, Fan DS, Lai WW, Lam DS. Peripheral and posterior pole retinal lesions in association with high myopia: a cross-sectional community-based study in Hong Kong. *Eye.* 2008;22(2):209-213.
- [60] Bansal AS, Hubbard GB, 3rd. Peripheral retinal findings in highly myopic children < or =10 years of age. *Retina.* 2010;30(4 Suppl):S15-19.
- [61] Celorio JM, Pruitt RC. Prevalence of lattice degeneration and its relation to axial length in severe myopia. *American journal of ophthalmology.* 1991;111(1):20-23.
- [62] Yura T. The relationship between the types of axial elongation and the prevalence of lattice degeneration of the retina. *Acta ophthalmologica Scandinavica.* 1998;76(1):90-95.
- [63] Wang NK, Chen YP, Lai CC, et al. Paediatric retinal detachment: comparison of high myopia and extreme myopia. *The British journal of ophthalmology.* 2009;93(5):650-655.
- [64] Wang NK, Tsai CH, Chen YP, et al. Pediatric rhegmatogenous retinal detachment in East Asians. *Ophthalmology.* 2005;112(11):1890-1895.
- [65] Mitry D, Charteris DG, Yorston D, et al. The epidemiology and socioeconomic associations of retinal detachment in Scotland: a two-year prospective population-based study. *Invest Ophthalmol Vis Sci.* 2010;51(10):4963-4968.
- [66] Austin KL, Palmer JR, Seddon JM, et al. Case-control study of idiopathic retinal detachment. *Int J Epidemiol.* 1990;19(4):1045-1050.
- [67] Risk factors for idiopathic rhegmatogenous retinal detachment. The Eye Disease Case-Control Study Group. *Am J Epidemiol.* 1993;137(7):749-757.
- [68] Chou SC, Yang CH, Lee CH, et al. Characteristics of primary rhegmatogenous retinal detachment in Taiwan. *Eye.* 2007;21(8):1056-1061.
- [69] Morita H, Ideta H, Ito K, Yonemoto J, Sasaki K, Tanaka S. Causative factors of retinal detachment in macular holes. *Retina.* 1991;11(3):281-284.
- [70] Akiba J, Konno S, Yoshida A. Retinal detachment associated with a macular hole in severely myopic eyes. *Am J Ophthalmol.* 1999;128(5):654-655.
- [71] Hsiang HW, Ohno-Matsui K, Shimada N, et al. Clinical characteristics of posterior staphyloma in eyes with pathologic myopia. *American journal of ophthalmology.* 2008;146(1):102-110.
- [72] Curtin BJ, Karlin DB. Axial length measurements and fundus changes of the myopic eye. I. The posterior fundus. *Trans Am Ophthalmol Soc.* 1970;68:312-334.
- [73] Curtin BJ. The posterior staphyloma of pathologic myopia. *Trans Am Ophthalmol Soc.* 1977;75:67-86.
- [74] Vongphanit J, Mitchell P, Wang JJ. Population prevalence of tilted optic disks and the relationship of this sign to refractive error. *American journal of ophthalmology.* 2002;133(5):679-685.

- [75] Wong TY, Klein BE, Klein R, Knudtson M, Lee KE. Refractive errors, intraocular pressure, and glaucoma in a white population. *Ophthalmology*. 2003;110(1):211-217.
- [76] Suzuki Y, Iwase A, Araie M, et al. Risk factors for open-angle glaucoma in a Japanese population: the Tajimi Study. *Ophthalmology*. 2006;113(9):1613-1617.
- [77] Casson RJ, Gupta A, Newland HS, et al. Risk factors for primary open-angle glaucoma in a Burmese population: the Meiktila Eye Study. *Clin Experiment Ophthalmol*. 2007;35(8):739-744.
- [78] Mitchell P, Hourihan F, Sandbach J, Wang JJ. The relationship between glaucoma and myopia: the Blue Mountains Eye Study. *Ophthalmology*. 1999;106(10):2010-2015.
- [79] Xu L, Wang Y, Wang S, Jonas JB. High myopia and glaucoma susceptibility the Beijing Eye Study. *Ophthalmology*. 2007;114(2):216-220.
- [80] Lee YA, Shih YF, Lin LL, Huang JY, Wang TH. Association between high myopia and progression of visual field loss in primary open-angle glaucoma. *J Formos Med Assoc*. 2008;107(12):952-957.
- [81] Xu L, Wang Y, Li Y, Cui T, Li J, Jonas JB. Causes of blindness and visual impairment in urban and rural areas in Beijing: the Beijing Eye Study. *Ophthalmology*. 2006;113(7):1134 e1131-1111.
- [82] Congdon N, O'Colmain B, Klaver CC, et al. Causes and prevalence of visual impairment among adults in the United States. *Arch Ophthalmol*. 2004;122(4):477-485.
- [83] Maberley DA, Hollands H, Chang A, Adilman S, Chakraborti B, Kliever G. The prevalence of low vision and blindness in a Canadian inner city. *Eye (Lond)*. 2007;21(4):528-533.
- [84] Maberley DA, Hollands H, Chuo J, et al. The prevalence of low vision and blindness in Canada. *Eye (Lond)*. 2006;20(3):341-346.
- [85] Leske MC, Wu SY, Nemesure B, Hennis A. Risk factors for incident nuclear opacities. *Ophthalmology*. 2002;109(7):1303-1308.
- [86] Lim R, Mitchell P, Cumming RG. Refractive associations with cataract: the Blue Mountains Eye Study. *Invest Ophthalmol Vis Sci*. 1999;40(12):3021-3026.
- [87] Barr JT. Contact Lenses 20052006.
- [88] Morgan PB, Woods C, Tranoudis IG, et al. International contact lens prescribing 2010. *Contact Lens Spectrum*. 2011(January 2011).
- [89] Bruce A. Local oxygen transmissibility of disposable contact lenses. *Cont Lens Anterior Eye*. 2003;26(4):189-196.
- [90] Fonn D, Bruce AS. A review of the Holden-Mertz criteria for critical oxygen transmission. *Eye Contact Lens*. 2005;31(6):247-251.
- [91] Holden BA. The Glenn A. Fry Award lecture 1988: the ocular response to contact lens wear. *Optom Vis Sci*. 1989;66(11):717-733.
- [92] Sweeney DF. The Max Schapero Memorial Award Lecture 2004: contact lenses on and in the cornea, what the eye needs. *Optom Vis Sci*. 2006;83(3):133-142.
- [93] Holden BA, Mertz GW, McNally JJ. Corneal swelling response to contact lenses worn under extended wear conditions. *Invest Ophthalmol Vis Sci*. 1983;24(2):218-226.
- [94] Morgan PB, Brennan NA, Maldonado-Codina C, Quhill W, Rashid K, Efron N. Central and peripheral oxygen transmissibility thresholds to avoid corneal swelling during open eye soft contact lens wear. *J Biomed Mater Res B Appl Biomater*. 2010;92(2):361-365.
- [95] Moezzi A, Fonn D, Varikooty J, Simpson T. The effect of lens power on central and peripheral overnight corneal swelling with four different silicone hydrogel lenses. American Academy of Optometry. Anaheim, CA2008.
- [96] Liou SW, Chiu CJ. Myopia and contrast sensitivity function. *Curr Eye Res*. 2001;22(2):81-84.
- [97] Paquin MP, Hamam H, Simonet P. Objective measurement of optical aberrations in myopic eyes. *Optom Vis Sci*. 2002;79(5):285-291.
- [98] Bennett AG, Rabbets RS. Subsidiary effects of correcting lenses; magnifying devices. In: Rabbets RB, ed. *Clinical visual optics*. Edinburgh: Butterworth-Heinemann; 2004:229-231.
- [99] Nio YK, Janssonius NM, Wijdh RH, et al. Effect of methods of myopia correction on visual acuity, contrast sensitivity, and depth of focus. *J Cataract Refract Surg*. 2003;29(11):2082-2095.
- [100] Zadnik K, Mutti DO, Cutter GR, Chalmers RL. The effect of degree of refractive error on hydrogel contact lens-induced complications and patient self-management behaviors. *Optom Vis Sci*. 2001;78(9):652-656.
- [101] Chalmers RL, Keay L, Long B, Bergenske P, Giles T, Bullimore MA. Risk factors for contact lens complications in US clinical practices. *Optom Vis Sci*. 2010;87(10):725-735.
- [102] Dumbleton K, Woods C, Jones L, Fonn D, Sarwer DB. Patient and practitioner compliance with silicone hydrogel and daily disposable lens replacement in the United States. *Eye Contact Lens*. 2009;35(4):164-171.
- [103] Stapleton F, Keay L, Jalbert I, Cole N. The epidemiology of contact lens related infiltrates. *Optom Vis Sci*. 2007;84(4):257-272.
- [104] Efron N, Morgan PB, Hill EA, Raynor MK, Tullo AB. Incidence and morbidity of hospital-presenting corneal infiltrative events associated with contact lens wear. *Clin Exp Optom*. 2005;88(4):232-239.
- [105] Morgan PB, Efron N, Brennan NA, Hill EA, Raynor MK, Tullo AB. Risk factors for the development of corneal infiltrative events associated with contact lens wear. *Invest Ophthalmol Vis Sci*. 2005;46(9):3136-3143.
- [106] Schein OD, McNally JJ, Katz J, et al. The incidence of microbial keratitis among wearers of a 30-day silicone hydrogel extended-wear contact lens. *Ophthalmology*. 2005;112(12):2172-2179.
- [107] Chalmers RL, McNally JJ, Schein OD, et al. Risk factors for corneal infiltrates with continuous wear of contact lenses. *Optom Vis Sci*. 2007;84(7):573-579.
- [108] McNally JJ, Chalmers RL, McKenney CD, Robirds S. Risk factors for corneal infiltrative events with 30-night continuous wear of silicone hydrogel lenses. *Eye Contact Lens*. 2003;29(1 Suppl):S153-156; discussion S166, S192-154.
- [109] US Food and Drug Administration. PureVision™ (balafilcon A) visibility tinted contact Lens - P980006/S004. Summary of safety and effectiveness data for a supplemental premarket application: [http://www.accessdata.fda.gov/cdrh\\_docs/pdf/P980006S004b.pdf](http://www.accessdata.fda.gov/cdrh_docs/pdf/P980006S004b.pdf). Accessed 17.Feb.2011; 2001.
- [110] Ware JE, Jr., Sherbourne CD. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. *Med Care*. 1992;30(6):473-483.
- [111] Berry S, Mangione CM, Lindblad AS, McDonnell PJ. Development of the National Eye Institute refractive error correction quality of life questionnaire: focus groups. *Ophthalmology*. 2003;110(12):2285-2291.
- [112] Erickson DB, Stapleton F, Erickson P, du Toit R, Giannopoulos E, Holden B. Development and validation of a multidimensional quality-of-life scale for myopia. *Optom Vis Sci*. 2004;81(2):70-81.
- [113] Pesudovs K, Garamendi E, Elliott DB. The Quality of Life Impact of Refractive Correction (QIRC) Questionnaire: development and validation. *Optom Vis Sci*. 2004;81(10):769-777.
- [114] Pesudovs K, Garamendi E, Elliott DB. The Contact Lens Impact on Quality of Life (CLIQ) Questionnaire: development and validation. *Invest Ophthalmol Vis Sci*. 2006;47(7):2789-2796.
- [115] Vitale S, Schein OD, Meinert CL, Steinberg EP. The refractive status and vision profile: a questionnaire to measure vision-related quality of life in persons with refractive error. *Ophthalmology*. 2000;107(8):1529-1539.
- [116] Felius J, Stager DR, Sr., Berry PM, et al. Development of an instrument to assess vision-related quality of life in young children. *Am J Ophthalmol*. 2004;138(3):362-372.

- [117] Wong HB, Machin D, Tan SB, Wong TY, Saw SM. Visual impairment and its impact on health-related quality of life in adolescents. *Am J Ophthalmol.* 2009;147(3):505-511 e501.
- [118] Congdon N, Wang Y, Song Y, et al. Visual disability, visual function, and myopia among rural Chinese secondary school children: the Xichang Pediatric Refractive Error Study (X-PRES)--report 1. *Invest Ophthalmol Vis Sci.* 2008;49(7):2888-2894.
- [119] Garamendi E, Pesudovs K, Stevens MJ, Elliott DB. The Refractive Status and Vision Profile: evaluation of psychometric properties and comparison of Rasch and summated Likert-scaling. *Vision Res.* 2006;46(8-9):1375-1383.
- [120] Lamoureux EL, Marella M, Chang B, et al. Is the pediatric quality of life inventory valid for use in preschool children with refractive errors? *Optom Vis Sci.* 2010;87(11):813-822.
- [121] Gothwal VK, Wright TA, Elliott DB, Pesudovs K. The refractive status and vision profile: Rasch analysis of subscale validity. *J Refract Surg.* 2010;26(11):912-915.
- [122] Fletcher AE, Ellwein LB, Selvaraj S, Vijaykumar V, Rahmathullah R, Thulasiraj RD. Measurements of vision function and quality of life in patients with cataracts in southern India. Report of instrument development. *Arch Ophthalmol.* 1997;115(6):767-774.
- [123] Saw SM, Gazzard G, Au Eong KG, Koh D. Utility values and myopia in teenage school students. *Br J Ophthalmol.* 2003;87(3):341-345.
- [124] Brown MM, Brown GC, Sharma S, Shah G. Utility values and diabetic retinopathy. *Am J Ophthalmol.* 1999;128(3):324-330.
- [125] Brown GC, Sharma S, Brown MM, Kistler J. Utility values and age-related macular degeneration. *Arch Ophthalmol.* 2000;118(1):47-51.
- [126] Walline JJ, Gaume A, Jones LA, et al. Benefits of contact lens wear for children and teens. *Eye Contact Lens.* 2007;33(6 Pt 1):317-321.
- [127] Rah MJ, Walline JJ, Jones-Jordan LA, et al. Vision specific quality of life of pediatric contact lens wearers. *Optom Vis Sci.* 2010;87(8):560-566.
- [128] Broman AT, Munoz B, Rodriguez J, et al. The impact of visual impairment and eye disease on vision-related quality of life in a Mexican-American population: proyecto VER. *Invest Ophthalmol Vis Sci.* 2002;43(11):3393-3398.
- [129] Owsley C, McGwin G, Jr., Scilley K, Meek GC, Seker D, Dyer A. Effect of refractive error correction on health-related quality of life and depression in older nursing home residents. *Arch Ophthalmol.* 2007;125(11):1471-1477.
- [130] Lamoureux EL, Saw SM, Thumboo J, et al. The impact of corrected and uncorrected refractive error on visual functioning: the Singapore Malay Eye Study. *Invest Ophthalmol Vis Sci.* 2009;50(6):2614-2620.
- [131] Chia EM, Mitchell P, Ojaimi E, Rochtchina E, Wang JJ. Assessment of vision-related quality of life in an older population subsample: The Blue Mountains Eye Study. *Ophthalmic Epidemiol.* 2006;13(6):371-377.
- [132] Chia EM, Wang JJ, Rochtchina E, Smith W, Cumming RR, Mitchell P. Impact of bilateral visual impairment on health-related quality of life: the Blue Mountains Eye Study. *Invest Ophthalmol Vis Sci.* 2004;45(1):71-76.
- [133] Rose K, Harper R, Tromans C, et al. Quality of life in myopia. *Br J Ophthalmol.* 2000;84(9):1031-1034.
- [134] Takashima T, Yokoyama T, Futagami S, et al. The quality of life in patients with pathologic myopia. *Jpn J Ophthalmol.* 2001;45(1):84-92.
- [135] Solomon KD, Fernandez de Castro LE, Sandoval HP, et al. LASIK world literature review: quality of life and patient satisfaction. *Ophthalmology.* 2009;116(4):691-701.
- [136] Chen CY, Keeffe JE, Garoufalidis P, et al. Vision-related quality of life comparison for emmetropes, myopes after refractive surgery, and myopes wearing spectacles or contact lenses. *J Refract Surg.* 2007;23(8):752-759.
- [137] Sivak JG. The role of the lens in refractive development of the eye: animal models of ametropia. *Exp Eye Res.* 2008;87(1):3-8.
- [138] Gwiazda J. Treatment options for myopia. *Optom Vis Sci.* 2009;86(6):624-628.
- [139] Charman WN, Radhakrishnan H. Peripheral refraction and the development of refractive error: a review. *Ophthalmic Physiol Opt.* 2010;30(4):321-338.
- [140] Mutti DO, Mitchell GL, Hayes JR, et al. Accommodative lag before and after the onset of myopia. *Invest Ophthalmol Vis Sci.* 2006;47(3):837-846.
- [141] Berntsen DA, Mutti DO, Zadnik K. The effect of bifocal add on accommodative lag in myopic children with high accommodative lag. *Invest Ophthalmol Vis Sci.* 2010;51(12):6104-6110.
- [142] Smith EL, 3rd, Hung LF, Huang J. Relative peripheral hyperopic defocus alters central refractive development in infant monkeys. *Vision Res.* 2009;49(19):2386-2392.
- [143] Choo JD, Holden BA. The prevention of myopia with contact lenses. *Eye Contact Lens.* 2007;33(6 Pt 2):371-372; discussion 382.
- [144] Jones-Jordan LA, Walline JJ, Mutti DO, et al. Gas permeable and soft contact lens wear in children. *Optom Vis Sci.* 2010;87(6):414-420.
- [145] Walline JJ, Jones LA, Sinnott LT. Corneal reshaping and myopia progression. *Br J Ophthalmol.* 2009;93(9):1181-1185.
- [146] Tarutta E, Chua WH, Young T, et al. Myopia: Why Study the Mechanisms of Myopia? Novel Approaches to Risk Factors Signalling Eye Growth- How Could Basic Biology Be Translated into Clinical Insights? Where Are Genetic and Proteomic Approaches Leading? How Does Visual Function Contribute to and Interact with Ametropia? Does Eye Shape Matter? Why Ametropia at All? *Optom Vis Sci.* 2011.
- [147] Edwards MH, Li RW, Lam CS, Lew JK, Yu BS. The Hong Kong progressive lens myopia control study: study design and main findings. *Invest Ophthalmol Vis Sci.* 2002;43(9):2852-2858.
- [148] Sankaridurg P, Donovan L, Varnas S, et al. Spectacle lenses designed to reduce progression of myopia: 12-month results. *Optom Vis Sci.* 2010;87(9):631-641.
- [149] Kakita T, Hiraoka T, Oshika T. Influence of overnight orthokeratology on axial length elongation in childhood myopia. *Invest Ophthalmol Vis Sci.* 2011.
- [150] Anstice NS, Phillips JR. Effect of Dual-Focus Soft Contact Lens Wear on Axial Myopia Progression in Children. *Ophthalmology.* 2011.
- [151] Wang X, Chu R. Wearing Progressive Addition Lenses(PALs) to Slow Down the Progression of Juvenile Myopia. ARVO Meeting Abstracts. 2005;46(5):5595.
- [152] Vitale S, Cotch MF, Sperduto R, Ellwein L. Costs of refractive correction of distance vision impairment in the United States, 1999-2002. *Ophthalmology.* 2006;113(12):2163-2170.
- [153] Rein DB, Zhang P, Wirth KE, et al. The economic burden of major adult visual disorders in the United States. *Arch Ophthalmol.* 2006;124(12):1754-1760.