

# Klinische Leistung von Senofilcon A

## Literatur

- [1] Holden BA, Mertz GW. Critical oxygen levels to avoid corneal edema for daily and extended wear contact lenses. *Invest Ophthalmol Vis Sci*. 1984; 25(10):1161-7
- [2] Morgan P, Efron N. A decade of contact lens prescribing trends in the United Kingdom (1996–2005). *Contact Lens and Anterior Eye*. 2006; 29(2):59-68
- [3] Keay L, Sweeney DF, Jalbert I, Skotnitsky C, Holden BA. Microcyst response to high Dk/t silicone hydrogel contact lenses. *Optom Vis Sci*. 2000; 77(11):582-5
- [4] Dumbleton KA, Chalmers RL, Richter DB, Fonn D. Vascular response to extended wear of hydrogel lenses with high and low oxygen permeability. *Optom Vis Sci*. 2001; 78(3):147-51.
- [5] Brennan NA, Coles ML, Comstock TL, Levy B. A 1-year prospective clinical trial of balafilcon a (PureVision) silicone-hydrogel contact lenses used on a 30-day continuous wear schedule. *Ophthalmology*. 2002; 109(6):1172-7
- [6] Ladage PM, Yamamoto K, Ren DH, Li L, Jester JV, Petroll WM, Cavanagh HD. Effects of rigid and soft contact lens daily wear on corneal epithelium, tear lactate dehydrogenase, and bacterial binding to exfoliated epithelial cells. *Ophthalmology*. 2001; 108(7):1279-88
- [7] Ladage PM, Ren DH, Petroll WM, Jester JV, Bergmanson JP, Cavanagh HD. Effects of eyelid closure and disposable and silicone hydrogel extended contact lens wear on rabbit corneal epithelial proliferation. *Invest Ophthalmol Vis Sci*. 2003; 44(5):1843-9
- [8] Morgan PB, Efron N, Hill EA, Raynor MK, Whiting MA, Tullo AB. Incidence of keratitis of varying severity among contact lens wearers. *Br J Ophthalmol*. 2005; 89(4):430-6
- [9] Maldonado-Codina C, Morgan PB, Schnider CM, Efron N. Short-term physiologic response in neophyte subjects fitted with hydrogel and silicone hydrogel contact lenses. *Optom Vis Sci*. 2004; 81(12):911-21
- [10] Holden BA, Stephenson A, Stretton S, Sankaridurg PR, O'Hare N, Jalbert I, Sweeney DF. Superior epithelial arcuate lesions with soft contact lens wear. *Optom Vis Sci*. 2001; 78(1):9-12
- [11] Fonn, D. Targeting contact lens induced dryness and discomfort: what properties will make lenses more comfortable. *Optom Vis Sci*. 2007; 84(4):279-285
- [12] Begley CG, Caffery B, Nichols KK, Chalmers R. Responses of contact lens wearers to a dry eye survey. *Optom Vis Sci*. 2000; 77(1):40-6
- [13] Vajdic C, Holden BA, Sweeney DF, Cornish RM. The frequency of ocular symptoms during spectacle and daily soft and rigid contact lens wear. *Optom Vis Sci*. 1999; 76(10):705-11
- [14] Young G, Veys J, Pritchard N, Coleman S. A multi-centre study of lapsed contact lens wearers. *Ophthalmic Physiol Opt*. 2002; 22(6):516-27
- [15] Riley C, Young G, Chalmers R. Prevalence of ocular surface symptoms, signs, and uncomfortable hours of wear in contact lens wearers: the effect of refitting with daily-wear silicone hydrogel lenses (senofilcon a). *Eye & Contact Lens*. 2006; 32(6):281-6
- [16] Morgan PB, Efron N. In vivo dehydration of silicone hydrogel contact lenses. *Eye & Contact Lens*. 2003; 29(3):173-6
- [17] Osborn K, Veys J. A new silicone hydrogel lens for contact lens related dryness. *Optician*; 2005: 229:6004: 39-41
- [18] Young G, Riley CM, Chalmers RL, Hunt C. Hydrogel lens comfort in challenging environments and the effect of refitting with silicone hydrogel lenses. *Optom Vis Sci*. 2007; 84(4):302-8
- [19] Ousler, GW, Anderson RT, Osborn KE. The effect of senofilcon A contact lenses compared to habitual contact lenses on ocular discomfort during exposure to a controlled adverse environment. *Current Medical Research and Opinion* 2008; 24(2):335-341
- [20] Efron N, Morgan PB, Cameron ID, Brennan NA, Goodwin M. Oxygen permeability and water content of silicone hydrogel contact lens materials. *Optom Vis Sci*. 2007; 84(4):328-37
- [21] Steffen RB, Schnider CM. The impact of silicone hydrogel materials on overnight corneal swelling. *Eye Contact Lens*. 2007; 33(3):115-20
- [22] Hamano H, Maeda N, Hamano T, Mitsunaga S, Kotani S. Corneal Thickness Change Induced by Dozing While Wearing Hydrogel and Silicone Hydrogel Lenses. *Eye & Contact Lens: Science & Clinical Practice*. 2008; 34(1):56-60
- [23] Kwok LS, Kuznetsov VA, Ho A, Coroneo MT. Prevention of the adverse photic effects of peripheral light-focusing using UV-blocking contact lenses. *Invest Ophthalmol Vis Sci*. 2003; 44(4):1501-7
- [24] Moore L, Ferreira JT. Ultraviolet (UV) transmittance characteristics of daily disposable and silicone hydrogel contact lenses. *Cont Lens Anterior Eye*. 2006; 29(3):115-22
- [25] ANSI/Z80.3 – 1996 (R1999) Non-prescription sunglasses and fashion eyewear – requirements
- [26] ISO 8599:1994 Optics and optical instruments – contact lenses – Determination of the spectral and luminous transmittance