

Studie: Sehhilfen zur Korrektion können früher als bisher verordnet werden

Postoperative Stabilität der Refraktion nach Katarakt-Operation

Literatur

- 1 Pfeiffer, W. (2012). Weißbuch zur Situation der ophthalmologischen Versorgung in Deutschland. Deutsche Ophthalmologische Gesellschaft.
- 2 Grehn, F. Augenheilkunde. (2019). Springer.
- 3 Handzel, D. M., Dardenne, C., Remmel, R. M. (2011). Qualitätssicherung in der Kataraktchirurgie: Datenerhebung je später, desto besser. *Ophthalm. Chirurgie*, 23, 85-92.
- 4 Caglar, C., Batur, M., Eser, E., Demir, H., Yaşar, T. (2017). The Stabilization Time of Ocular Measurements after Cataract Surgery. *Semin. Ophthalmol.*, 32, 412-417.
- 5 Hashemi, H. et al. (2016). The location of incision in cataract surgery and its impact on induced astigmatism. *Curr. Opin. Ophthalmol.*, 27, 58-64 (2016).
- 6 Dick, H. B., Schwenn, O., Krummenauer, F., Weidler, S., Pfeiffer, N. (2001). Refraction, anterior chamber depth, decentration and tilt after implantation of monofocal and multifocal silicone lenses. *Ophthalmologe*, 98, 380-386.
- 7 Tu, K. L., Gaskell, A. (1988). Immediate postoperative objective refraction as an indication to final refraction in phacoemulsification surgery. *Br. J. Ophthalmol.*, 82, 842.
- 8 Sugar, A., Sadri, E., Dawson, D. G., Musch, D. C. (2001). Refractive stabilization after temporal phacoemulsification with foldable acrylic intraocular lens implantation. *J Cataract Refract. Surg.*, 27, 1741-1745.
- 9 Lake, D., Fong, K., Wilson, R. (2005). Early refractive stabilization after temporal phacoemulsification: what is the optimum time for spectacle prescription? *J. Cataract Refract. Surg.*, 31, 1845.
- 10 de Juan, V. et al. (2013). Refractive stabilization and corneal swelling after cataract surgery. *Optom. Vis. Sci.* 90, 31-36.
- 11 Ostri, C., Holfort, S. K., Fich, M. S., Riise, P. (2018). Automated refraction is stable 1 week after uncomplicated cataract surgery. *Acta Ophthalmol* 96, 149-153.
- 12 Bland, J. M., Altman, D. G. (1986). Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet*, 1, 307-310.
- 13 Yao, K., Tang, X., Ye, P. (2006). Corneal astigmatism, high order aberrations, and optical quality after cataract surgery: microincision versus small incision. *J. Refract. Surg.* 22, S1079-1082.
- 14 Rosenfield, M., Chiu, N. N. (1995). Repeatability of subjective and objective refraction. *Optom Vis Sci* 72, 577-579.
- 15 Pesudovs, K., Parker, K. E., Cheng, H., Applegate, R. A. (227). The precision of wavefront refraction compared to subjective refraction and autorefraction. *Optom. Vis. Sci.*, 84, 387-392.
- 16 Walline, J. J., Kinney, K. A., Zadnik, K., Mutti, D. O. (1999). Repeatability and validity of astigmatism measurements. *J. Refract. Surg.*, 15, 23-31.
- 17 Bullimore, M. A., Fusaro, R. E., Adams, C. W. (1998). The repeatability of automated and clinician refraction. *Optom. Vis. Sci.*, 75, 617-622.
- 18 Zadnik, K., Mutti, D. O., Adams, A. J. (1992). The repeatability of measurement of the ocular components. *Invest. Ophthalmol. Vis. Sci.*, 33, 2325-2333.
- 19 Leinonen, J., Laakkonen, E., Laatikainen, L. (226). Repeatability (test-re-test variability) of refractive error measurement in clinical settings. *Acta Ophthalmol. Scand.*, 84, 532-536.
- 20 Reeves, B. C., Hill, A. R., Carter, S. C., Sparrow, J. (1992). Evaluation of two infrared autorefractors in pseudophakia. *Ophthalmic Physiol. Opt.*, 12, 405-410.
- 21 Winn, B., Whitaker, D., Elliott, D. B., Phillips, N. J. (1994). Factors affecting light-adapted pupil size in normal human subjects. *Invest. Ophthalmol. Vis. Sci.*, 35, 1132-1137.
- 22 Simon, S. S. et al. (2014). Achieving target refraction after cataract surgery. *Ophthalmology*, 121, 440-444.
- 23 Thibos, L. N., Wheeler, W., Horner, D. (1997). Power vectors: an application of Fourier analysis to the description and statistical analysis of refractive error. *Optom. Vis. Sci.*, 74, 367-375.