

# Hornhautsensibilität

## Teil 2: Der Einfluss von Kontaktlinsen

Daniela S. Nosch

### Literatur

- [1] Brennan NBA. Esthesiometry as an indicator of corneal health. *Optometry & Vision Science*. 1991;68(9):699.
- [2] Martin XY, Safran AB. Corneal hypoesthesia. *Surv Ophthalmol*. 1988;33(1):28–40.
- [3] Millodot M. A review of research on the sensitivity of the cornea. *Ophthalmic Physiol Opt*. 1984;4(4):305–318.
- [4] Stern ME, Gao J, Siemasko KF, Beuerman RW, Pflugfelder SC. The role of the lacrimal functional unit in the pathophysiology of dry eye. *Exp Eye Res*. 2004;78(3):409–416. doi:10.1016/j.exer.2003.09.003.
- [5] Belmonte C, Garcia-Hirschfeld J, Gallar J. Neurobiology of Ocular Pain. *Prog Retin Eye Res*. 1997;16(1):117–156.
- [6] Golebiowski B, Papas E, Stapleton F. Assessing the sensory function of the ocular surface: implications of use of a non-contact air jet aesthesiometer versus the Cochet-Bonnet aesthesiometer. *Exp Eye Res*. 2011;92(5):408–413. doi:10.1016/j.exer.2011.02.016.
- [7] Millodot M, Larson W. Effect of bending of the nylon thread of the Cochet-Bonnet aesthesiometer upon the recorded pressure. *The Contact Lens*; 1967:5–6.
- [8] Murphy PJ, Patel S, Marshall J. A new non-contact corneal aesthesiometer (NCCA). *Ophthalmic Physiol Opt*. 1996;16(2):101–107.
- [9] Schirmer KE. Corneal sensitivity and contact lenses. *British Journal of Ophthalmology*. 1963;47(8):493–495. doi:10.1136/bjo.47.8.493.
- [10] Millodot M. Effect of hard contact lenses on corneal sensitivity and thickness. *Acta Ophthalmologica*. 1975;53(4):576–584.
- [11] Millodot M, Henson B, O'Leary D. Measurement of corneal sensitivity and thickness with PMMA and Gaspermeable Contact Lenses. 1979:1–5.
- [12] Millodot M. Effect of long-term wear of hard contact lenses on corneal sensitivity. *Arch Ophthalmol*. 1978;96(7):1225–1227.
- [13] Sanaty M, Temel A. Corneal sensitivity changes in long-term wearing of hard polymethylmethacrylate contact lenses. *Ophthalmologica*. 1998;212(5):328–330.
- [14] Mountford J, Ruston D, Dave T. *Orthokeratology*. Butterworth-Heinemann Medical; 2004.
- [15] Lum E, Golebiowski B, Gunn R, Babhota M, Swarbrick H. Corneal sensitivity with contact lenses of different mechanical properties. *Optom Vis Sci*. 2013;90(9):954–960. doi:10.1097/OPX.000000000000016.
- [16] Murphy PJ, Lawrenson JG, Patel S, Marshall J. Reliability of the Non-Contact Corneal Aesthesiometer and its comparison with the Cochet-Bonnet aesthesiometer. 1998:1–8.
- [17] Müller LJ, Pels L, Vrensen GF. Ultrastructural organization of human corneal nerves. *Invest Ophthalmol Vis Sci*. 1996;37(4):476–488.
- [18] Lum E, Golebiowski B, Swarbrick HA. Mapping the corneal sub-basal nerve plexus in orthokeratology lens wear using in vivo laser scanning confocal microscopy. *Invest Ophthalmol Vis Sci*. 2012:1–33. doi:10.1167/iovs.11-8706.
- [19] Knoll HA, Williams J. Effects of hydrophilic contact lenses on corneal sensitivity. *American Journal of Optometry and archives of American Academy of Optometry*. 1970;47(7):561–563.
- [20] Velasco M, Bermúdez F, Romero J, Hita E. Variations in corneal sensitivity with hydrogel contact lenses. *Acta Ophthalmologica*. 1994;72(1):53–56.
- [21] Millodot M. Effect of the length of wear of contact lenses on corneal sensitivity. *Acta Ophthalmologica*. 1976;54(6):721–730.
- [22] Larke JR, Hirji NK. Some clinically observed phenomena in extended contact lens wear. *British Journal of Ophthalmology*. 1979;63(7):475–477.
- [23] Millodot M. Effect of soft lenses on corneal sensitivity. *Acta Ophthalmologica*. 1974;52(5):603–608.
- [24] Murphy PJ, Patel S, Marshall J. The effect of long-term, daily contact lens wear on corneal sensitivity. *Cornea*. 2001;20(3):264–269.
- [25] Beuerman RW, Rozsa AJ. Threshold and signal detection measurements of the effect of soft contact lenses on corneal sensitivity. *Curr Eye Res*. 1985;4(6):742–744.
- [26] Stapleton F, Tan ME, Papas EB, et al. Corneal and conjunctival sensitivity to air stimuli. *British Journal of Ophthalmology*. 2004;88(12):1547–1551. doi:10.1136/bjo.2004.044024.
- [27] Situ P, Simpson TL, Jones LW, Fonn D. Effects of Silicone Hydrogel Contact Lens Wear on Ocular Surface Sensitivity to Tactile, Pneumatic Mechanical, and Chemical Stimulation. *Invest Ophthalmol Vis Sci*. 2010;51(12):6111–6117. doi:10.1167/iovs.09-4807.
- [28] Lowther GE, Hill RM. Sensitivity threshold of the lower lid margin in the course of adaptation to contact lenses. *American Journal of Optometry and archives of American Academy of Optometry*. 1968;45(9):587–594.
- [29] Golebiowski B, Papas EB, Stapleton F. Corneal and conjunctival sensory function: the impact on ocular surface sensitivity of change from low to high oxygen transmissibility contact lenses. *Invest Ophthalmol Vis Sci*. 2012. doi:10.1167/iovs.11-8416.
- [30] Andrasko G, Ryen K. Corneal staining and comfort observed with traditional and silicone hydrogel lenses and multipurpose solution combinations. *Optometry*. 2008;79(8):444–454. doi:10.1016/j.optm.2008.04.097.
- [31] Santodomingo-Rubido J, Barrado-Navascués E, Rubido-Crespo M-J, Sugimoto K, Sawano T. Compatibility of two new silicone hydrogel contact lenses with three soft contact lens multipurpose solutions. *Ophthalmic Physiol Opt*. 2008;28(4):373–381. doi:10.1111/j.1475-1313.2008.00573.x.
- [32] Papas EB, Carnt N, Willcox MDP, Holden BA. Complications associated with care product use during silicone daily wear of hydrogel contact lens. *Eye & Contact Lens: Science & Clinical Practice*. 2007;33(6 Pt 2):392–3; discussion 399–400. doi:10.1097/ICL.0b013e318157e542.
- [33] Jones L, MacDougall N, Sorbara LG. Asymptomatic corneal staining associated with the use of balafilcon silicone-hydrogel contact lenses disinfected with a polyaminopropyl biguanide-preserved care regimen. *Optom Vis Sci*. 2002;79(12):753–761.
- [34] Epstein AB. Contact Lens Care Products Effect on Corneal Sensitivity and Patient Comfort. *Eye & Contact Lens: Science & Clinical Practice*. 2006;32(3):128–132. doi:10.1097/01.icl.0000178850.55802.1c.

- [35] Bergenske PD, Polse KA. The effect of rigid gas permeable lenses on corneal sensitivity. *J Am Optom Assoc.* 1987;58(3):212–215.
- [36] Millodot M, O'Leary DJ. Loss of corneal sensitivity with lid closure in humans. *Exp Eye Res.* 1979;29(4):417–421.
- [37] Pesin SR, Candia OA. Acetylcholine concentration and its role in ionic transport by the corneal epithelium. *Invest Ophthalmol Vis Sci.* 1982;22(5):651–659.
- [38] Vega J, Simpson T, Fonn D. A noncontact pneumatic esthesiometer for measurement of ocular sensitivity: a preliminary report. *Cornea.* 1999;18(6):675.
- [39] Polse KA. Etiology of corneal sensitivity changes accompanying contact lens wear. *Invest Ophthalmol Vis Sci.* 1978;17(12):1202–1206.
- [40] Millodot M, O'Leary DJ. Effect of oxygen deprivation on corneal sensitivity. *Acta Ophthalmologica.* 1980;58(3):434–439.
- [41] Stapleton F, Marfurt CF, Golebiowski B, et al. The TFOS International Workshop on Contact Lens Discomfort: the report of the subcommittee on neurobiology. *Invest Ophthalmol Vis Sci.* 2013:1–69. doi:10.1167/iovs.13-13226.
- [42] Alonso-Caneiro D, Shaw AJ, Collins MJ. Using optical coherence tomography to assess corneal morphology after soft contact lens wear. *Optom Vis Sci.* 2012;89(11):1619–1626. doi:10.1097/OPX.0b013e31826c5f63.
- [43] Korb DR, Greiner JV, Herman JP, et al. Lid-wiper epitheliopathy and dry-eye symptoms in contact lens wearers. *CLAO J.* 2002;28(4):211–216. doi:10.1097/01.ICL.0000029344.37847.5A.
- [44] Pult H, Purslow C, Berry M, Murphy PJ. Clinical tests for successful contact lens wear: relationship and predictive potential. *Optom Vis Sci.* 2008;85(10):E924–9. doi:10.1097/OPX.0b013e3181888909.
- [45] Chen J, Simpson TL. A role of corneal mechanical adaptation in contact lens-related dry eye symptoms. *Invest Ophthalmol Vis Sci.* 2011;52(3):1200–1205. doi:10.1167/iovs.10-5349.
- [46] Rohit A, Willcox M, Stapleton F. Tear Lipid Layer and Contact Lens Comfort: A Review. *Eye Contact Lens.* 2013;39(3):247–253. doi:10.1097/ICL.0b013e31828af164.
- [47] Iskeleli G, Karakoç Y, Aydin O, Yetik H, Uslu H, Kizilkaya M. Comparison of tear-film osmolarity in different types of contact lenses. *CLAO J.* 2002;28(4):174–176. doi:10.1097/01.ICL.0000024117.46518.A4.
- [48] Kojima T, Matsumoto Y, Ibrahim OMA, et al. Effect of controlled adverse chamber environment exposure on tear functions in silicon hydrogel and hydrogel soft contact lens wearers. *Invest Ophthalmol Vis Sci.* 2011;52(12):8811–8817. doi:10.1167/iovs.10-6841.
- [49] Martin DK. Osmolality of the tear fluid in the contralateral eye during monocular contact lens wear. *Acta Ophthalmologica.* 1987;65(5):551–555.
- [50] Miller WL, Doughty MJ, Narayanan S, et al. A comparison of tear volume (by tear meniscus height and phenol red thread test) and tear fluid osmolality measures in non-lens wearers and in contact lens wearers. *Eye Contact Lens.* 2004;30(3):132–137.
- [51] Stahl U, Willcox MDP, Naduvilath T, Stapleton F. Influence of tear film and contact lens osmolality on ocular comfort in contact lens wear. *Optom Vis Sci.* 2009;86(7):857–867. doi:10.1097/OPX.0b013e3181ae027b.
- [52] Jordan A, Baum J. Basic tear flow. Does it exist? *Ophthalmology.* 1980;87(9):920–930.
- [53] Tsubota K. Tear dynamics and dry eye. *Prog Retin Eye Res.* 1998;17(4):565–596.
- [54] Collins M, Seeto R, Campbell L, Ross M. Blinking and corneal sensitivity. *Acta Ophthalmologica.* 1989;67(5):525–531.
- [55] Richdale K, Sinnott LT, Skadahl E, Nichols JJ. Frequency of and factors associated with contact lens dissatisfaction and discontinuation. *Cornea.* 2007;26(2):168–174. doi:10.1097/01.ico.0000248382.32143.86.
- [56] Luo L, Li D-Q, Corrales RM, Pflugfelder SC. Hyperosmolar saline is a proinflammatory stress on the mouse ocular surface. *Eye & Contact Lens: Science & Clinical Practice.* 2005;31(5):186–193.
- [57] Rosenthal P, Borsook D. The Corneal Pain System. Part I: The Missing Piece of the Dry Eye Puzzle. *Ocul Surf.* 2012;10(1):2–14. doi:10.1016/j.jtos.2012.01.002.
- [58] Situ P, Simpson TL, Jones LW, Fonn D. Effects of Silicone Hydrogel Contact Lens Wear on Ocular Surface Sensitivity to Tactile, Pneumatic Mechanical, and Chemical Stimulation. *Invest Ophthalmol Vis Sci.* 2010;51(12):6111–6117. doi:10.1167/iovs.09-4807.

## Quellenverzeichnis für Tabelle und Abbildungen

- [1] Schirmer KE. Assessment of corneal sensitivity. *British Journal of Ophthalmology.* 1963;47(8):488–492. doi:10.1136/bjo.47.8.488.
- [2] Efron N, Morgan PB, Woods CA, International Contact Lens Prescribing Survey Consortium. International survey of rigid contact lens fitting. *Optom Vis Sci.* 2013;90(2):113–118. doi:10.1097/OPX.0b013e31827cd8be.
- [3] Millodot M. Effect of hard contact lenses on corneal sensitivity and thickness. *Acta Ophthalmologica.* 1975;53(4):576–584.
- [4] Millodot M, Henson B, O'Leary D. Measurement of corneal sensitivity and thickness with PMMA and Gaspermeable Contact Lenses. 1979:1–5.
- [5] Millodot M. Effect of long-term wear of hard contact lenses on corneal sensitivity. *Arch Ophthalmol.* 1978;96(7):1225–1227.
- [6] Bergenske PD, Polse KA. The effect of rigid gas permeable lenses on corneal sensitivity. *J Am Optom Assoc.* 1987;58(3):212–215.
- [7] Sanaty M, Temel A. Corneal sensitivity changes in long-term wearing of hard polymethylmethacrylate contact lenses. *Ophthalmologica.* 1998;212(5):328–330.
- [8] Knoll HA, Williams J. Effects of hydrophilic contact lenses on corneal sensitivity. *American Journal of Optometry and Archives of American Academy of Optometry.* 1970;47(7):561–563.
- [9] Velasco M, Bermúdez F, Romero J, Hita E. Variations in corneal sensitivity with hydrogel contact lenses. *Acta Ophthalmologica.* 1994;72(1):53–56.
- [10] Millodot M. Effect of the length of wear of contact lenses on corneal sensitivity. *Acta Ophthalmologica.* 1976;54(6):721–730.
- [11] Millodot M. Effect of soft lenses on corneal sensitivity. *Acta Ophthalmologica.* 1974;52(5):603–608.
- [12] BEUERMAN RW, Rozsa AJ. Threshold and signal detection measurements of the effect of soft contact lenses on corneal sensitivity. *Curr Eye Res.* 1985;4(6):742–744.
- [13] Murphy PJ, Patel S, Marshall J. The effect of long-term, daily contact lens wear on corneal sensitivity. *Cornea.* 2001;20(3):264–269.
- [14] Stapleton F, Tan ME, Papas EB, et al. Corneal and conjunctival sensitivity to air stimuli. *British Journal of Ophthalmology.* 2004;88(12):1547–1551. doi:10.1136/bjo.2004.044024.
- [15] Situ P, Simpson TL, Jones LW, Fonn D. Effects of Silicone Hydrogel Contact Lens Wear on Ocular Surface Sensitivity to Tactile, Pneumatic Mechanical, and Chemical Stimulation. *Invest Ophthalmol Vis Sci.* 2010;51(12):6111–6117. doi:10.1167/iovs.09-4807.
- [16] Golebiowski B, Papas EB, Stapleton F. Corneal and conjunctival sensory function: the impact on ocular surface sensitivity of change from low to high oxygen transmissibility contact lenses. *Invest Ophthalmol Vis Sci.* 2012. doi:10.1167/iovs.11-8416.