

Entwicklungsgeschichte der Silikonhydrogel-Tageslinsen

Zwanzig Jahre Innovation in Material und Design

Lyndon Jones, Karen Walsh

Literatur

1. Sweeney DF. Have silicone hydrogel lenses eliminated hypoxia? *Eye Contact Lens* 2013;39:53-60.
2. Hall BJ, Jones LW, Dixon B. Silicone allergies and the eye: fact or fiction? *Eye Contact Lens* 2014;40:51-7.
3. Iwasaki A, Medzhitov R. Regulation of adaptive immunity by the innate immune system. *Science* 2010;327:291-5.
4. Ballow M, Donshik PC, Rapacz P, Maenza R, Yamase H, Muncy L. Immune responses in monkeys to lenses from patients with contact lens induced giant papillary conjunctivitis. *CLAO J* 1989;15:64-70.
5. Porazinski AD, Donshik PC. Giant papillary conjunctivitis in frequent replacement contact lens wearers: a retrospective study. *CLAO J* 1999;25:142-7.
6. Sorbara L, Jones L, Williams-Lyn D. Contact lens induced papillary conjunctivitis with silicone hydrogel lenses. *Cont Lens Anterior Eye* 2009;32:93-6.
7. Skotnitsky CC, Naduvilath TJ, Sweeney DF, Sankaridurg PR. Two presentations of contact lens-induced papillary conjunctivitis (CLPC) in hydrogel lens wear: local and general. *Optom Vis Sci* 2006;83:27-36.
8. Jones L, Subbaraman LN, Rogers R, Dumbleton K. Surface treatment, wetting and modulus of silicone hydrogels. *Optician* 2006;232:28 - 34.
9. Horst CR, Brodland B, Jones LW, Brodland GW. Measuring the modulus of silicone hydrogel contact lenses. *Optom Vis Sci* 2012;89:1468-76.
10. Tighe BJ. A decade of silicone hydrogel development: surface properties, mechanical properties, and ocular compatibility. *Eye Contact Lens* 2013;39:4-12.
11. Dumbleton K. Noninflammatory silicone hydrogel contact lens complications. *Eye Contact Lens* 2003;29:S186-9; discussion S90-1, S92-4.
12. Dumbleton K. Adverse events with silicone hydrogel continuous wear. *Cont Lens Anterior Eye* 2002;25:137-46.
13. Holden BA, Stephenson A, Stretton S, Sankaridurg PR, O'Hare N, Jalbert I, Sweeney DF. Superior epithelial arcuate lesions with soft contact lens wear. *Optom Vis Sci* 2001;78:9-12.
14. Dumbleton KA, Chalmers RL, McNally J, Bayer S, Fonn D. Effect of lens base curve on subjective comfort and assessment of fit with silicone hydrogel continuous wear contact lenses. *Optom Vis Sci* 2002;79:633-7.
15. Dumbleton K, Jones L, Chalmers R, Williams-Lyn D, Fonn D. Clinical characterization of spherical post-lens debris associated with lotrafilcon high-Dk silicone lenses. *CLAO J* 2000;26:186-92.
16. Pritchard N, Jones L, Dumbleton K, Fonn D. Epithelial inclusions in association with mucin ball development in high-oxygen permeability hydrogel lenses. *Optom Vis Sci* 2000;77:68-72.
17. Chalmers RL, Keay L, McNally J, Kern J. Multicenter case-control study of the role of lens materials and care products on the development of corneal infiltrates. *Optom Vis Sci* 2012;89:316-25.
18. Chalmers RL, Wagner H, Mitchell GL, Lam DY, Kinoshita BT, Jansen ME, Richdale K, Sorbara L, McMahon TT. Age and other risk factors for corneal infiltrative and inflammatory events in young soft contact lens wearers from the Contact Lens Assessment in Youth (CLAY) study. *Invest Ophthalmol Vis Sci* 2011;52:6690-6.
19. Chalmers RL, Keay L, Long B, Bergenske P, Giles T, Bullimore MA. Risk factors for contact lens complications in US clinical practices. *Optom Vis Sci* 2010;87:725-35.
20. Szczotka-Flynn L, Diaz M. Risk of corneal inflammatory events with silicone hydrogel and low dk hydrogel extended contact lens wear: a meta-analysis. *Optom Vis Sci* 2007;84:247-56.
21. Radford CF, Minassian D, Dart JK, Stapleton F, Verma S. Risk factors for nonulcerative contact lens complications in an ophthalmic accident and emergency department: a case-control study. *Ophthalmology* 2009;116:385-92.
22. Jones L, MacDougall N, Sorbara LG. Asymptomatic corneal staining associated with the use of balafilcon silicone-hydrogel contact lenses disinfected with a polyaminopropyl biguanide-preserved care regimen. *Optom Vis Sci* 2002;79:753-61.

23. Andrasko G, Ryen K. A series of evaluations of MPS and silicone hydrogel lens combinations. *Rev Cornea and Contact Lenses* 2007;143:36 - 42.
24. Carnt N, Jalbert I, Stretton S, Naduvilath T, Papas E. Solution toxicity in soft contact lens daily wear is associated with corneal inflammation. *Optom Vis Sci* 2007;84:309-15.
25. Papas EB, Carnt N, Willcox MD, Holden BA. Complications associated with care product use during silicone daily wear of hydrogel contact lens. *Eye Contact Lens* 2007;33:392-3; discussion 9-400.
26. Andrasko G, Ryen K. Corneal staining and comfort observed with traditional and silicone hydrogel lenses and multipurpose solution combinations. *Optometry* 2008;79:444-54.
27. Carnt N, Evans V, Holden B, Naduvilath T, Tilia D, Papas E, Willcox M. IER matrix update: adding another silicone hydrogel. *Contact Lens Spectrum* 2008;23:28 - 35.
28. Carnt NA, Evans VE, Naduvilath TJ, Willcox MD, Papas EB, Frick KD, Holden BA. Contact lens-related adverse events and the silicone hydrogel lenses and daily wear care system used. *Arch Ophthalmol* 2009;127:1616-23.
29. Willcox MD, Phillips B, Ozkan J, Jalbert I, Meagher L, Gengenbach T, Holden B, Papas E. Interactions of lens care with silicone hydrogel lenses and effect on comfort. *Optom Vis Sci* 2010;87:839-46.
30. Woods J, Jones LW. Pilot Study to Determine the Effect of Lens and Eye Rinsing on Solution-Induced Corneal Staining (SICS). *Optom Vis Sci* 2016;93:1218-27.
31. Zhang X, Marchetti C, Lee J, Sun Y, Debanne S, Jiang Y, Kern J, Harrod M, Benetz BA, Pearlman E, Szczotka-Flynn L. The impact of lens care solutions on corneal epithelial changes during daily silicone hydrogel contact lens wear as measured by in vivo confocal microscopy. *Cont Lens Anterior Eye* 2017;40:33-41.
32. Willcox MD, Carnt N, Diec J, Naduvilath T, Evans V, Stapleton F, Iskandar S, Harmis N, Lazon de la Jara P, Holden BA. Contact lens case contamination during daily wear of silicone hydrogels. *Optom Vis Sci* 2010;87:456-64.
33. Wu YT, Teng YJ, Nicholas M, Harmis N, Zhu H, Willcox MD, Stapleton F. Impact of lens case hygiene guidelines on contact lens case contamination. *Optom Vis Sci* 2011;88:E1180-7.
34. Dantam J, McCanna DJ, Subbaraman LN, Papinski D, Lakkis C, Mirza A, Berntsen DA, Morgan P, Nichols JJ, Jones LW. Performance of Contact Lens Solutions Study G. Microbial Contamination of Contact Lens Storage Cases During Daily Wear Use. *Optom Vis Sci* 2016;93:925-32.
35. Willcox MD. Solutions for care of silicone hydrogel lenses. *Eye Contact Lens* 2013;39:24-8.
36. Truong TN, Graham AD, Lin MC. Factors in contact lens symptoms: evidence from a multistudy database. *Optom Vis Sci* 2014;91:133-41.
37. Keir N, Jones L. Wettability and silicone hydrogel lenses: a review. *Eye Contact Lens* 2013;39:100-8.
38. Lorentz H, Rogers R, Jones L. The impact of lipid on contact angle wettability. *Optom Vis Sci* 2007;84:946-53.
39. Read ML, Morgan PB, Kelly JM, Maldonado-Codina C. Dynamic contact angle analysis of silicone hydrogel contact lenses. *J Biomater Appl* 2011;26:85-99.
40. Menzies KL, Jones LW. Sessile drop contact angle analysis of hydrogel and silicone hydrogel daily disposable and frequent replacement contact lenses. *Contact Lens and Anterior Eye* 2012;35, Supplement 1:e12-e3.
41. Lira M, Silva R. Effect of Lens Care Systems on Silicone Hydrogel Contact Lens Hydrophobicity. *Eye Contact Lens* 2017;43:89-94.
42. Carney FP, Nash WL, Sentell KB. The adsorption of major tear film lipids in vitro to various silicone hydrogels over time. *Invest Ophthalmol Vis Sci* 2008;49:120-4.
43. Walther H, Lorentz H, Kay L, Heynen M, Jones L. The effect of in vitro lipid concentration on lipid deposition on silicone hydrogel and conventional hydrogel contact lens materials. *Contact Lens and Anterior Eye* 2011;34, Supplement 1:S21.
44. Lorentz H, Heynen M, Trieu D, Hagedorn SJ, Jones L. The impact of tear film components on in vitro lipid uptake. *Optom Vis Sci* 2012;89:856-67.
45. Pucker AD, Thangavelu M, Nichols JJ. In vitro lipid deposition on hydrogel and silicone hydrogel contact lenses. *Invest Ophthalmol Vis Sci* 2010;51:6334-40.
46. Walther H, Subbaraman L, Jones LW. In Vitro Cholesterol Deposition on Daily Disposable Contact Lens Materials. *Optom Vis Sci* 2016;93:36-41.
47. Senchyna M, Jones L, Louie D, May C, Forbes I, Glasier MA. Quantitative and conformational characterization of lysozyme deposited on balafilcon and etafilcon contact lens materials. *Curr Eye Res* 2004;28:25-36.
48. Subbaraman LN, Glasier MA, Senchyna M, Sheardown H, Jones L. Kinetics of in vitro lysozyme deposition on silicone hydrogel, PMMA, and FDA groups I, II, and IV contact lens materials. *Curr Eye Res* 2006;31:787-96.
49. Luensmann D, Jones L. Protein deposition on contact lenses: the past, the present, and the future. *Cont Lens Anterior Eye* 2012;35:53-64.
50. Hall B, Jones L, Forrest JA. Kinetics of Competitive Adsorption between Lysozyme and Lactoferrin on Silicone Hydrogel Contact Lenses and the Effect on Lysozyme Activity. *Curr Eye Res* 2015;40:622-31.
51. Omali NB, Subbaraman LN, Coles-Brennan C, Fadli Z, Jones LW. Biological and Clinical Implications of Lysozyme Deposition on Soft Contact Lenses. *Optom Vis Sci* 2015;92:750-7.
52. Heynen M, Babaei Omali N, Fadli Z, Coles-Brennan C, Subbaraman LN, Jones L. Selectivity and localization of lysozyme uptake in contemporary hydrogel contact lens materials. *J Biomater Sci Polym Ed* 2017;28:1351-64.
53. Nichols JJ. Deposition on silicone hydrogel lenses. *Eye Contact Lens* 2013;39:19-22.
54. Suwala M, Glasier MA, Subbaraman LN, Jones L. Quantity and conformation of lysozyme deposited on conventional and silicone hydrogel contact lens materials using an in vitro model. *Eye Contact Lens* 2007;33:138-43.
55. Subbaraman LN, Jones L. Kinetics of lysozyme activity recovered from conventional and silicone hydrogel contact lens materials. *J Biomater Sci Polym Ed* 2010;21:343-58.

56. Jones L, Brennan NA, Gonzalez-Meijome J, Lally J, Maldonado-Codina C, Schmidt TA, Subbaraman L, Young G, Nichols JJ, members of the TIWoCLD. The TFOS International Workshop on Contact Lens Discomfort: report of the contact lens materials, design, and care subcommittee. *Invest Ophthalmol Vis Sci* 2013;54:TFOS37-70.
57. Garofalo RJ, Dassanayake N, Carey C, Stein J, Stone R, David R. Corneal staining and subjective symptoms with multipurpose solutions as a function of time. *Eye Contact Lens* 2005;31:166 - 74.
58. Diec J, Evans VE, Tilia D, Naduvilath T, Holden BA, Lazon de la Jara P. Comparison of ocular comfort, vision, and SICS during silicone hydrogel contact lens daily wear. *Eye Contact Lens* 2012;38:2-6.
59. Lazon de la Jara P, Papas E, Diec J, Naduvilath T, Willcox MD, Holden BA. Effect of lens care systems on the clinical performance of a contact lens. *Optom Vis Sci* 2013;90:344-50.
60. Morgan PB, Brennan NA, Maldonado-Codina C, Quhill W, Rashid K, Efron N. Central and peripheral oxygen transmissibility thresholds to avoid corneal swelling during open eye soft contact lens wear. *J Biomed Mater Res B Appl Biomater* 2010;92:361-5.
61. Jones L, Franklin V, Evans K, Sariri R, Tighe B. Spoilation and clinical performance of monthly vs. three monthly Group II disposable contact lenses. *Optom Vis Sci* 1996;73:16-21.
62. Morgan PB, Woods C, Tranoudis I, Helland M, Efron N, Jones L, Nelson L, Merchan B, Ing M, van Beusekom M, Grupcheva CN, Jones D, Beeler-Kaupke M, Krasnanska J, Pult H, Tast P, Ravn O, Santodomingo J, Malet F, Plakitis A, Vegh M, Shing C, Erdinest N, Jafari A, Montani G, Itoi M, Bendoriene J, Ziziuchin V, van der Worp E, Lam W, Ystenaes AE, Romualdez-Oo J, Abesamis-Dichoso C, Gonzalez-Meijome JM, Sim D, Silih M, Hsiao J, Nichols J. International Contact Lens Prescribing in 2017. *Contact Lens Spectrum* 2018;33:28-33.
63. Diec J, Tilia D, Thomas V. Comparison of Silicone Hydrogel and Hydrogel Daily Disposable Contact Lenses. *Eye Contact Lens* 2017; In press.
64. Ruiz-Alcocer J, Monsalvez-Romin D, Garcia-Lazaro S, Albarra-Diego C, Hernandez-Verdejo JL, Madrid-Costa D. Impact of contact lens material and design on the ocular surface. *Clin Exp Optom* 2017;In press.
65. Chalmers RL, Hickson-Curran SB, Keay L, Gleason WJ, Albright R. Rates of adverse events with hydrogel and silicone hydrogel daily disposable lenses in a large postmarket surveillance registry: The TEMPO Registry. *Invest Ophthalmol Vis Sci* 2015;56:654-63.
66. Varikooty J, Keir N, Richter D, Jones LW, Woods C, Fonn D. Comfort response of three silicone hydrogel daily disposable contact lenses. *Optom Vis Sci* 2013;90:945-53.
67. Varikooty J, Schulze MM, Dumbleton K, Keir N, Woods CA, Fonn D, Jones LW. Clinical performance of three silicone hydrogel daily disposable lenses. *Optom Vis Sci* 2015;In press.
68. Szczesna-Iskander DH. Comparison of tear film surface quality measured in vivo on water gradient silicone hydrogel and hydrogel contact lenses. *Eye Contact Lens* 2014;40:23-7.
69. Wolffsohn JS, Mroczkowska S, Hunt OA, Bilkhu P, Drew T, Sheppard A. Crossover Evaluation of Silicone Hydrogel Daily Disposable Contact Lenses. *Optom Vis Sci* 2015;92:1063-8.