

# Ein radikal innovatives Brillenglas zur Myopiekontrolle

## Literatur

- Chia A, Chua WH, Wen L et al (2014) Atropine for the treatment of childhood myopia: changes after stopping atropine 0.01%, 0.1% and 0.5%. *Am J Ophthalmol.* 157(2): 451-457
- Diether S, Schaeffel F (1997) Local changes in eye growth induced by imposed local refractive error despite active accommodation. *Vision Res* 37(6): 659-668
- Dolgin E, (2016) The myopia boom. *Nature* 519: 276-278
- Holden BA, Fricke TR, Wilson DA et al (2016) Global prevalence of myopia and high myopia in temporal trends from 2000 through 2050. *Ophthalmology* 123: 1036-1042
- Jones LA, Sinnott LT, Mutti DO et al (2007) Parental history of myopia, sports and outdoor activities, and future myopia. *Invest Ophthalmol Vis Sci* 48: 3524-3532
- Jung SK, Lee JH, Kakizaki H, Jee D (2012) Prevalence of myopia and its association with body stature and educational level in 19-year-old male conscripts in seoul, South Korea. *Invest Ophthalmol Vis Sci* 53: 5579-83
- Lam CSY, Goldschmidt E, Edwards MH (2004) Prevalence of myopia in local and international schools in Hong Kong. *Optom Vis Sci* 81: 317-22
- Lam CSY, Tang WC, Tse DY, Tang YY, To CH (2014) Defocus incorporated soft contact (DISC) lens slows myopia progression in Hong Kong Chinese schoolchildren: a 2-year randomized clinical trial. *Br J Ophthalmol* 98: 40-45
- Lam CSY, Tang WC, Lee RPK, Chun RKM, To CH. (2018) A randomized clinical trial for myopia control-use of myopic defocus spectacle lens. 8th International Congress of Behavioral Optometry (ICBO), 26-29 of April 2018. Sydney, Australia
- Lam CSY, To CH (2018a) Spectacle Lens Designed by PolyU Slows Myopic Progression by 60% and Stops in 21.5% of Children. <https://www.prnewswire.com/news-releases/spectacle-lens-designed-by-polyu-slows-myopic-progression-by-60-and-stops-in-215-of-children-680139183.html>, zuletzt aufgerufen am 3.4.2019
- Lam CSY, To CH. (2018b) Defocus Incorporated Multiple Segments (DIMS) Spectacle Lens for Myopia Control. Poster [https://www.polyu.edu.hk/ife/corp/cntimings/techsearch/3\\_SO\\_03\\_0219.pdf](https://www.polyu.edu.hk/ife/corp/cntimings/techsearch/3_SO_03_0219.pdf), zuletzt aufgerufen 9.4.2019
- Lipson MJ1, Brooks MM, Koffler BH (2018) The Role of Orthokeratology in Myopia Control: A Review. *Eye Contact Lens.* 44(4): 224-230
- Liu HH, Xu L, Wang YX, Wang S, You QS, Jonas JB. (2010) Prevalence and progression of myopic retinopathy in Chinese adults: the Beijing Eye Study. *Ophthalmology* 117(9): 1763-8
- Rose KA, Morgan AG, Ip J, et al. (2008) Outdoor activity reduces the prevalence of myopia in children. *Ophthalmology* 115: 1279-1285
- Saw SM, Gazzard G, Shih-Yen EC, Wei-Han Chua (2005) Myopia and associated pathological complications, *Ophthalm. Physiol. Opt.* 25: 381-391
- Schaeffel F (2011) Myopia-Update 2011. *Klin Monatsbl. Augenheilkd* 228: 754-761
- Schaeffel F (2012) Klinische Risikofaktoren der Myopieprogression. *Ophthalmologie* 109: 738-748
- Schaeffel F (2017) Biologische Mechanismen der Myopie. *Ophthalmologie* 114: 5-19
- Smith EL 3rd, Hung LF, Huang J, Arumugam B (2013) Effects of local myopic defocus on refractive development in monkeys. *Optom Vis Sci* 90(11):1176-1186
- Smith EL 3rd1, Kee CS, Ramamirtham R, Qiao-Grider Y, Hung LF. (2005) Peripheral vision can influence eye growth and refractive development in infant monkeys. *Invest Ophthalmol Vis Sci.* 46(11): 3965-72
- United States Patent Application Publication (2017) Pub. No.: US 2017/0131567 A1
- Vongphanit J, Mitchell P, Wang JJ (2002) Prevalence and progression of myopic retinopathy in an older population. *Ophthalmology* 109(4): 704-11
- Ziemssen F, Lagrèze W, Voykov B (2017) Sekundärerkrankungen bei hoher Myopie. *Ophthalmologie* 114: 30-43